

NAVARA SINGLE CAB



A PICKUP BUILT OF MORE AND READY TO WORK



ELECTRONIC BRAKE
FORCE DISTRIBUTION
(EBD) WITH
BRAKING ASSIST (BA)

VEHICLE DYNAMIC CONTROL (VDC)*

TRAILER STABILITY
ASSIST (TSA)*





Choose between smooth petrol efficiency or turbo-charged diesel torque, across the Navara Single Cab range*. Africa-proven Navara engines have been tried and tested to offer maximum performance and durability, whilst maintaining efficient running costs and legendary reliability you can trust.



BUILT FOR AFRICA. BUILT TO DO MORE.

With structural durability improvements made for the toughest working conditions, the Navara Single Cab range boasts high tensile steel body construction with additional reinforcements throughout. Suspension and chassis have been locally tested to exceed the demands of the harshest African road conditions.



NAVARA

BEST IN-CLASS LOADING CAPACITY

Nissan Navara Single Cabs arrive ready to work with and increased load box size and world class load capacity of up to 1 155KG*. Then, unique side steps add every day practicality for easy load box access.



GO WHEREVER THE WORK TAKES YOU

Easily shift from 2WD to 4WD without stopping thanks to the Navara's On The Fly 4X4 system.* Maintain complete confidence with Hill Descent Control (HDC)* while Hill Start Assist (HSA)* ensures a flawless pull away every time.



Practicality Meets Comfort

The all-capable Nissan Navara Single Cab range is an evolutionary leap forward in workhorse pickup standards. Expect dynamic styling, ergonomic interior conveniences, comfort and driver safety technology in a package that proudly delivers on the legacy of more than 85 years of proven LCV heritage, in Africa.



SAFETY AND SECURITY AS A PRIORITY

Navara Single Cabs offer driver and passenger airbags as standard, with additional side curtain and driver knee airbags for additional protection.*

Nissan Navara - 4 Wheel Drive

Specifications & Features

MODEL - Single Cab		2.5D XE 4WD MT	2.5D XE Plus 4WD MT
ENGINE			
Engine		2.5D Mid Output	2.5D Mid Output
Displacement	сс	2488	2488
Number of Cylinders		4	4
Air Intake		Turbo Charged	Turbo Charged
Bore and Stroke	mm	89.0 x 100.0	89.0 × 100.0
Maximum Power	kW/Rpm	120/3600	120/3600
Maximum Torque	Nm/Rpm	403/2000	403/2000
Fuel Type		Diesel	Diesel
Fuel Supply		Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity	l	80	80
TRANSMISSION & DRIVE TRAIN			
Transmission		6-Speed Manual	6-Speed Manual
Driven Wheels		4WD	4WD
Rear Limited Slip-Differential		Std	Std
SUSPENSION			
Front Suspension		Independent Double-Wishbone + Stabiliser + Global Posture	Independent Double-Wishbone + Stabiliser + Global Posture
Rear Suspension		Leaf Spring + Global Posture	Leaf Spring + Global Posture
WEIGHTS & CAPACITY			
Gross Combination Mass (GCM)	Kg	6130	6130
Gross Vehicle Mass (GVM)	Kg	3000	3000
Tare Mass	Kg	1796	1796
Payload	Kg	1155	1155
Min Kerb Weight	Kg	1845	1845
Max Kerb Weight	Kg	1866	1866
Permissible Axle Weight Front	Kg	1320	1320
Permissible Axle Weight Rear	Kg	1785	1785
Maximum Towing Capacity Unbraked	Kg	750	750
Maximum Towing Capacity Braked	Kg	3500	3500
DIMENSIONS			
Overall Length	mm	5235	5235
Overall Width (Excluding Mirrors)	mm	1790	1790
Overall Height	mm	1760	1760
Wheelbase	mm	3150	3150
Ground Clearance	mm	214	214
Front Track	mm	1550	1550
Rear Track	mm	1550	1550
Front Overhang	mm	885	885
Rear Overhang	mm	1200	1200
Turning Circle (Kerb to Kerb) Approach Angle	m Degrees	6,0 31,8	6,0 31,8
Departure Angle	Degrees Degrees		26,3
Ramp Break-Over Angle	Degrees	26,3 22,8	20,3
Load Box Length - Floor	mm	22,8	22,8
Load Box Length - Top	mm	2333	2311
Load Box Lerigur - 10p	11/1111	2311	ا الح

Nissan Navara - 4 Wheel Drive

Specifications & Features

DIMENSIONS (CONTINUED) Load Box Width - Floor Load Box Width - Top	mm		
Load Box Width - Top	mm		
		1560	1560
	mm	1552	1552
Load Box Width - Between Wheel Arches	mm	1134	1134
Load Box Width - Tailgate Opening	mm	1360	1360
Load Box Height	mm	471,7	471,7
Wading Depth	mm	450	450
WHEELS & TYRES	·		
Wheel Size and Type		16" Steel	16" Steel
Tyre		205/ R16 AT	205/ R16 AT
Spare Wheel		Full Size Steel	Full Size Steel
Spare Wheel Lock		Option	Option
EXTERIOR			
Grill		Black	Black
Front Bumper		Black	Black
Rear Step Bumper		-	-
Side-Door Mirror Finish		Black	Black
Side-Door Mirrors		Manual Adjustment + Manual Folding	Manual Adjustment + Manual Folding
External Door Handles		Black	Black
Front and Rear Mud Flaps		Std	Std
Front Towing Hook		Std	Std
Headlights		Halogen	Halogen
Fog Lights		-	-
COMFORT & CONVENIENCE			
Seating Capacity		2	2
Front Seat Type		Separate Seat	Separate Seat
Driver Seat Adjustment		4-Way Manual (Slide + Recline)	4-Way Manual (Slide + Recline)
Passenger Seat Adjustment		2-Way Manual	2-Way Manual
Seat Upholstery		Cloth	Cloth
Floor Material		Cloth	Cloth
Front Cup Holders		2	2
Front Door Storage Pockets and Bottle Holder		2	2
Sunglass Holder		-	-
12V Outlet Inside Cabin		2	2
USB Port		-	-
Air-Conditioning		Manual Aircon	Manual Aircon
Windows Adjustment		Manual	Manual
Power Windows with Driver Auto Up/Down Button		-	-
Rear Window Screen		Fixed	Fixed
Central Locking		-	-
Speed Sensing Auto Door Lock		-	-
Key Opener		Mold key	Mold key
Rear View Mirror		Manual Dimming	Manual Dimming

Nissan Navara - 4 Wheel Drive

Specifications & Features

MODEL - Single Cab	2.5D XE 4WD MT	2.5D XE Plus 4WD MT
AUDIO & CONNECTIVITY		
Without Audio Head Unit (with Pre-Wire)	Std	Std
8" Touch Screen Display	-	-
Steering Wheel Audio Controls	-	-
Nissan Connect (with Android Auto™ and Apple CarPlay®)	-	-
Navigation	-	-
Speakers	No Speakers (With Pre-Wire Harness)	No Speakers (With Pre-Wire Harness)
SAFETY & SECURITY		
Driver and Front Passenger Airbags	Std	Std
Side Airbags	-	Std
Curtain Airbags	-	Std
Driver Knee Airbag	-	Std
Front Seat Belts 3-Point ELR With Pre-Tensioner, Load Limiter	Std	Std
Seatbelt Reminder	Driver Only	Driver & Passenger
Immobiliser	Std	Std
Alarm	-	-
Anti-Lock Braking System (ABS)	Std	Std
Electronic Brake Force Distribution (EBD)	Std	Std
Brake Assist (BA)	Std	Std
Vehicle Dynamic Control (VDC)	-	Std
Trailer Stability Assist (SA)	-	Std
Hill Start Assist (HSA)	-	Std
Hill Descent Control (HDC)	-	Std
Rear-View Camera and Parking Sensors	-	-
Cruise Control	-	-
Front Brakes - Discs	Std	Std
Rear Brakes - Drum	Std	Std
Windscreen Wipers	Variable Intermittent + Speed Sensitive	Variable Intermittent + Speed Sensitive
SERVICE		
Service interval	5,000 Km	5,000 Km

Nissan's commitment to quality: To provide all customers with a consistently high level of quality, Nissan applies the same standards worldwide, to ensure that all Nissan owners enjoy peace of mind for the lives of their vehicles. The approach is based on quality from the customer's perspective on three key elements: First, the expectation of a smooth driving experience with complete peace of mind. Second, the intangible appeal of a vehicle, its power to captivate and excite, with features that capture attention and imagination. Third, the level of attentiveness and service during the sales process, and long after the sale is concluded.

Legal notice: Every effort has been made to ensure that the contents of this brochure is correct at the time of going to print (September 2023). This brochure may be produced featuring prototype or accessorised vehicles exhibited at motorshows and in accordance with the company's policy of continuously improving its products. Nissan South Africa reserves the right to change the specifications and the vehicles described and shown in this brochure at any time. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. Due to the limitations of the printing process used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim material used. All rights reserved. Reproduction in whole or part of this brochure without the written permission from Nissan is forbidden.

Nissan Navara - 2 Wheel Drive

Specifications & Features

Engine 2.5D Mid Output 2	
Displacement Cc	
Number of Cylinders 4 4 Air Intake Turbo Charged Turbo Charged Bore and Stroke mm 890 X 100.0 890 X 100.0 Maximum Power kW/Rpm 120/3600 120/3600 Maximum Torque Nm/Rpm 403/2000 403/2000 Fuel Type Diesel Diesel Diesel Fuel Supply Common Rail Direct Injection Common Rail Direct Injection Fuel Tank Capacity & 80 80 TRANSMISSION & DRIVE TRAIN **Transmission 6-Speed Manual 6-Speed Manual Driven Wheels 2wD 2wD 2wD Rear Limited Slip-Differential - - - SUSPENSION **Tort Suspension Independent Double-Wishbone + Stabiliser + Global Posture Independent Double-Wishbone + Stabiliser + Global Posture Leaf Spring + Global Posture WEIGHTS & CAPACITY **Cross Combination Mass (GCM) Kg 6130 6130 6130 Gross Vehicle Mass (GVM) Kg 2950 2950 ************************************	
Air Intake Turbo Charged Turbo Charged Bore and Stroke mm 890 X 100.0 890 X 100.0 Maximum Power kW/Rpm 120/3600 120/3600 Maximum Torque Nm/Rpm 403/2000 403/2000 Fuel Type Diesel Diesel Fuel Supply Common Rail Direct Injection Common Rail Direct Injection Fuel Tank Capacity ₹ 80 80 TRANSMISSION & DRIVE TRAIN 6-Speed Manual 6-Speed Manual Driven Wheels 2WD 2WD Rear Limited Slip-Differential - - SUSPENSION Independent Double-Wishbone + Stabiliser + Global Posture Independent Double-Wishbone + Stabiliser + Global Posture WEIGHTS & CAPACITY Corss Combination Mass (GCM) Kg 6130 6130 Gross Vehicle Mass (GVM) Kg 2950 2950	
Bore and Stroke	
Maximum Power KW/Rpm 120/3600 120/3600 Maximum Torque Nm/Rpm 403/2000 403/2000 Euel Type Diesel Diesel Diesel Euel Supply Common Rail Direct Injection Common Rail Direct Injection Euel Tank Capacity & 80 TRANSMISSION & DRIVE TRAIN Transmission 6-Speed Manual 6-Speed Manual Driven Wheels 2WD 2WD Rear Limited Slip-Differential	
Maximum Torque Nm/Rpm 403/2000 403/2000 Fuel Type Diesel Diesel Fuel Supply Common Rail Direct Injection Common Rail Direct Injection Fuel Tank Capacity	
Fuel Type Diesel Diesel Fuel Supply Common Rail Direct Injection Common Rail Direct Injection Fuel Tank Capacity & 80 80 TRANSMISSION & DRIVE TRAIN Transmission 6-Speed Manual 6-Speed Manual Driven Wheels 2WD 2WD Rear Limited Slip-Differential	
Fuel Supply Common Rail Direct Injection Common Rail Direct Injection Fuel Tank Capacity & 80 80 TRANSMISSION & DRIVE TRAIN Transmission 6-Speed Manual 6-Speed Manual Driven Wheels 2WD 2WD Rear Limited Slip-Differential	
Fuel Tank Capacity & 80 TRANSMISSION & DRIVE TRAIN Transmission 6-Speed Manual 6-Speed Manual Driven Wheels 2WD 2WD Rear Limited Slip-Differential	
TRANSMISSION & DRIVE TRAIN Transmission 6-Speed Manual 6-Speed Manual Driven Wheels 2WD 2WD Rear Limited Slip-Differential - SUSPENSION Front Suspension Independent Double-Wishbone + Stabiliser + Global Posture Rear Suspension Leaf Spring + Global Posture WEIGHTS & CAPACITY Gross Combination Mass (GCM) Kg 6130 6130 6130 6705S Vehicle Mass (GVM) Kg 2950	
Transmission 6-Speed Manual 6-Speed Manual 6-Speed Manual Driven Wheels 2WD 2WD Rear Limited Slip-Differential	
Driven Wheels Rear Limited Slip-Differential	
Rear Limited Slip-Differential	
SUSPENSION Front Suspension Independent Double-Wishbone + Stabiliser + Global Posture Independent Double-Wishbone + Stabiliser + Global Posture Rear Suspension Leaf Spring + Global Posture WEIGHTS & CAPACITY Gross Combination Mass (GCM) Kg 6130 6130 Gross Vehicle Mass (GVM) Kg 2950 2950	
Front Suspension Independent Double-Wishbone + Stabiliser + Global Posture Independent Double-Wishbone + Stabiliser + Global Posture Rear Suspension Leaf Spring + Global Posture Leaf Spring + Global Posture WEIGHTS & CAPACITY Gross Combination Mass (GCM) Kg 6130 6130 Gross Vehicle Mass (GVM) Kg 2950 2950	
Rear Suspension Leaf Spring + Global Posture Leaf Spring + Global Posture WEIGHTS & CAPACITY Gross Combination Mass (GCM) Kg 6130 6130 Gross Vehicle Mass (GVM) Kg 2950 2950	
WEIGHTS & CAPACITY Gross Combination Mass (GCM) Kg 6130 6130 Gross Vehicle Mass (GVM) Kg 2950 2950	ture
Gross Combination Mass (GCM) Kg 6130 6130 Gross Vehicle Mass (GVM) Kg 2950 2950	
Gross Vehicle Mass (GVM) Kg 2950 2950	
Tare Mass Kg 1706 1706	
Payload Kg 1185 1185	
Min Kerb Weight Kg 1765 1765	
Max Kerb Weight Kg 1786 1786	
Permissible Axle Weight Front Kg 1320 1320	
Permissible Axle Weight Rear Kg 1785 1785	
Maximum Towing Capacity Unbraked Kg 750 750	
Maximum Towing Capacity Braked Kg 3500 3500	
DIMENSIONS	
Overall Length mm 5235 5235	
Overall Width (Excluding Mirrors) mm 1790 1790	
Overall Height mm 1755 1755	
Wheelbase mm 3150 3150	
Ground Clearance mm 214 214	
Front Track mm 1550 1550	
Rear Track mm 1550 1550	
Front Overhang mm 885 885	
Rear Overhang mm 1200 1200	
Turning Circle (Kerb to Kerb) m 6,0 6,0	
Approach Angle Degrees 30,7 30,7	
Departure Angle Degrees 26,6 26,6	
Ramp Break-Over Angle Degrees 22,2 22,2	
Load Box Length - Floor mm 2353 2353	
Load Box Length - Top mm 2311 2311	

Nissan Navara - 2 Wheel Drive

Specifications & Features

MODEL - Single Cab		2.5D XE 2WD MT	2.5D XE Plus 2WD MT
DIMENSIONS (CONTINUED)			
Load Box Width - Floor	mm	1560	1560
Load Box Width - Top	mm	1552	1552
Load Box Width - Between Wheel Arches	mm	1134	1134
Load Box Width - Tailgate Opening	mm	1360	1360
Load Box Height	mm	471,7	471,7
Wading Depth	mm	450	450
WHEELS & TYRES			
Wheel Size and Type		16" Steel	16" Steel
Tyre		205/ R16 AT	205/ R16 AT
Spare Wheel		Full Size Steel	Full Size Steel
Spare Wheel Lock		Option	Option
EXTERIOR			
Grill		Black	Black
Front Bumper		Black	Black
Rear Step Bumper		-	-
Side-Door Mirror Finish		Black	Black
Side-Door Mirrors		Manual Adjustment + Manual Folding	Manual Adjustment + Manual Folding
External Door Handles		Black	Black
Front and Rear Mud Flaps		Std	Std
Front Towing Hook		Std	Std
Headlights		Halogen	Halogen
Fog Lights		-	-
COMFORT & CONVENIENCE			
Seating Capacity		2	2
Front Seat Type		- Separate Seat	Separate Seat
Driver Seat Adjustment		4-Way Manual (Slide + Recline)	6-Way Manual (Slide + Recline+ Lifter)
Passenger Seat Adjustment		2-Way Manual (Recline)	4-Way Manual (Slide + Recline)
Seat Upholstery		Vinyl	Cloth
Floor Material		Vinyl	Carpet
Front Cup Holders		2	2
Front Door Storage Pockets and Bottle			
Holder		2	2
Sunglass Holder		-	-
12V Outlet Inside Cabin		1	1
USB Port		-	-
Air-Conditioning		Manual Aircon	Manual Aircon
Windows Adjustment		Manual	Manual
Power Windows with Driver Auto Up/Down Button	_	-	-
Rear Window Screen		Fixed	Fixed
Central Locking		-	-
Speed Sensing Auto Door Lock		-	-
Key Opener		Mold Key	Mold Key
Rear View Mirror		Manual Dimming	Manual Dimming

FEATURES AND SPECIFICATIONS ARE SUBJECT TO CHANGE DEPENDING ON MARKET AND GRADE. PLEASE CONSULT YOUR LOCAL NISSAN DEALERSHIP FOR MORE INFORMATION.

Nissan Navara - 2 Wheel Drive

Specifications & Features

MODEL - Single Cab	2.5D XE 2WD MT	2.5D XE Plus 2WD MT
AUDIO & CONNECTIVITY		
Without Audio Head Unit (with Pre-Wire)	Std	Std
8'' Touch Screen Display	-	-
Steering Wheel Audio Controls	-	-
Nissan Connect (with Android Auto™ and Apple CarPlay®)	-	-
Navigation	-	-
Speakers	No Speakers (With Pre-Wire Harness)	No Speakers (With Pre-Wire Harness)
SAFETY & SECURITY		
Driver and Front Passenger Airbags	Std	Std
Side Airbags	-	Std
Curtain Airbags	-	Std
Driver Knee Airbag	-	Std
Front Seat Belts 3-Point ELR With Pre-Tensioner, Load Limiter	Std	Std
Seatbelt Reminder	Driver Only	Driver & Passenger
Immobiliser	Std	Std
Alarm	-	-
Anti-Lock Braking System (ABS)	Std	Std
Electronic Brake Force Distribution (EBD)	Std	Std
Brake Assist (BA)	Std	Std
Vehicle Dynamic Control (VDC)	-	Std
Trailer Stability Assist (SA)	-	Std
Hill Start Assist (HSA)	-	Std
Hill Descent Control (HDC)	-	-
Rear-View Camera and Parking Sensors	-	-
Cruise Control	-	-
Front Brakes - Discs	Std	Std
Rear Brakes - Drum	Std	Std
Windscreen Wipers	Variable Intermittent + Speed Sensitive	Variable Intermittent + Speed Sensitive
SERVICE		
Service interval	5,000 Km	5,000 Km



AT NISSAN WE KEEP OUR PROMISES AND TAKE CARE OF OUR FAMILY

Servicing and repairing your Nissan at an authorised Nissan dealership is the way to go. Our Nissan technicians are highly trained specialists that know your Nissan better than anyone. They will use Genuine Nissan Parts, Genuine Nissan Accessories to ensure quality, reliability and to keep your vehicle performing to optimum standards. Nissan aims to keep you and your vehicle on the road with total peace of mind - for as long as possible. That is the Nissan Aftersales commitment.



Nissan's commitment to the environment

Nissan's environmental philosophy embraces people, vehicles and nature. In the pursuit of a sustainable mobile society, the Nissan Green Program aims to reduce the environmental impact of Nissan vehicles at every stage of the vehicle life cycle, while corporate activities address environmental challenges.

